

Head Office

268 Milperra Road MILPERRA NSW 2214
ABN: 26 609 047 878
Ph: 1300 797 246
Web: www.aquamonix.com.au

EMFLUX 2060 FLOW DETECTOR DIMENSIONS

Nominal Pipe Size	Actual Tube OD (mm)	Tube Wall Thickness (mm)	Lining Thickness* (mm)	Lined ID of Flow Meter (mm)	Unlined Length (mm)	Lined Length (mm)	Weight (Kg)
50	60.3	2.77	5	44.8	350	360	40
65	73.0	3.05	5	56.9	350	360	41
80	88.9	3.05	5	72.8	350	360	42
100	114.0	3.05	5	97.9	350	360	45
125	141.3	3.40	5	124.5	419	429	50
150	168.3	3.40	5	151.5	419	429	56
175	194.0	3.00	5	178.0	419	429	60
200	219.0	3.00	5	203.0	419	429	66
225	245.0	3.00	5	229.0	419	429	81
250	273.0	3.00	5	257.0	419	429	92
300	324.0	3.00	5	308.0	461	471	104
350	356.0	3.00	5	340.0	533	543	120
375	381.0	3.00	5	365.0	572	582	140
400	406.0	5.00	5	386.0	572	582	152
450	457.0	5.00	5	437.0	597	607	225
500	508.0	6.00	5	486.0	673	683	280
600	610.0	6.00	5	588.0	775	785	360
700	711.0	6.00	5	689.0	929	939	510
800	813	6.00	5	791.0	1040	1050	620
900	914.0	6.00	5	892.0	1170	1180	700
1000	1016.0	6.00	5	994.0	1300	1310	1100

NOTES:

1. Aquamonix reserve the right to change this information without notification.
2. Actual ID and length will change with lining material and manufacturing variations.
3. All dimensions in millimeters unless stated otherwise.
4. Tube thickness will change with pressure rating, therefore actual ID will change.
5. * Lining thickness applies to the following materials:
 - Hard Ebonite Rubber
 - Claret
 - Neoprene
 - Linatex Rubber